

Ecostat

Shower thermostat universal for exposed installation

Finish: **Chrome** Article Number: **13122000**



Description

product features

- 1 function
- EcoStop button limits the water consumption to 10 l/min
- thermostat cartridge, ceramic valve 180°
- maximum flow rate at 3 bar: 17 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- Safety stop at 40 °C
- temperature limitation adjustable
- non-return valve
- with silencer
- centre distance: 150 ± 12 mm
- connection dimension: DN15
- connection type: s-shaped connections, G 1/2
- dirt filter included

Technology




Certificates / Sustainability



Product image




Scale drawing



Ecostat
Shower thermostat universal for exposed installation
 Finish: **Chrome** Article Number: **13122000**



Flowchart




Ecostat
Shower thermostat universal for exposed installation
 Finish: **Chrome** Article Number: **13122000**



Exploded Drawing

Year of production: >01/14



Ecostat
Shower thermostat universal for exposed installation
 Finish: **Chrome** Article Number: **13122000**



Spare part list

Year of production: >01/14

| Pos. | Description | Article Number | PC | PU |
|------|---|----------------|----|----|
| 1 | handle | 95780000 | 9 | 1 |
| 2 | cover cap | 95433000 | 2 | 1 |
| 3 | safety set for temperature control | 98916000 | 4 | 1 |
| 4 | nut | 98913000 | 6 | 1 |
| 5 | thermostat cartridge | 98282000 | 14 | 1 |
| 6 | cartridge for exchanged connections | 92373000 | 18 | 1 |
| 7 | shut off unit | 94149000 | 8 | 1 |
| 8 | connecting thread | 95392000 | 6 | 1 |
| 9 | O-ring 14x2 | 98129000 | 1 | 1 |
| 10 | set of unions | 94285000 | 98 | 1 |
| 11 | set of nuts | 96157000 | 8 | 1 |
| 12 | non return valve | 96737000 | 8 | 1 |
| 13 | non return valve (pressure-resistant up to 2 MPa) | 93136000 | 8 | 1 |
| 14 | O-ring 17x1,5 | 98137000 | 1 | 1 |
| 15 | filter packing | 96922000 | 3 | 1 |
| 16 | escutcheon Ø 70 mm | 94135000 | 4 | 1 |
| 17 | noise reduction | 96429000 | 2 | 1 |
| 18 | set of S-unions (±12 mm) | 94140000 | 10 | 1 |
| a | set of S-unions (±32 mm) | 98592000 | 9 | 1 |
| b | pushbutton | 92848000 | 2 | 1 |