

Vernis Shape

Single lever basin mixer 100 with isolated water conduction without waste set

Finish: **Chrome** Article Number: **71569000**



Description

product features

- ComfortZone 100
- projection: 110 mm
- spout height: 95 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- with isolated water conduction - without contact with nickel and lead
- suitable for continuous flow water heaters
- connection type: G 3/8 connections
- connection dimension: DN15
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Technology




Certificates / Sustainability



Product image



Scale drawing



Vernis Shape

Single lever basin mixer 100 with isolated water conduction without waste set

Finish: **Chrome** Article Number: **71569000**



Flowchart



Vernis Shape


Single lever basin mixer 100 with isolated water conduction without waste set

Finish: **Chrome** Article Number: **71569000**



Exploded Drawing

Year of production: >04/21



Vernis Shape

Single lever basin mixer 100 with isolated water conduction without waste set

Finish: **Chrome** Article Number: **71569000**



Spare part list

Year of production: >04/21

| Pos. | Description | Article Number | PC | PU |
|------|------------------------------------|----------------|----|----|
| 1 | handle | 93684000 | 8 | 1 |
| 2 | screw cover | 96338000 | 1 | 1 |
| 3 | flange | 93680000 | 3 | 1 |
| 4 | nut | 93686000 | 7 | 1 |
| 5 | cartridge, assy | 97685000 | 11 | 1 |
| 6 | locking screw for handle | 95140000 | 2 | 1 |
| 7 | seal | 98865000 | 8 | 1 |
| 8 | aerator swivelling M24x1 (5 l/min) | 93834000 | 6 | 1 |
| 9 | seal | 93687000 | 1 | 1 |
| 10 | fixing set (Ø 32) | 13961000 | 7 | 1 |
| 11 | lever collar | 97548000 | 1 | 1 |
| a | fixation extension 35 mm | 13898000 | 12 | 1 |